

Order number Exhaust

Position: 1 / 1



/

Tailor-made Air Ducting&Diffusers



Number of pieces : 1

Shape Square, Size 1250 mm, Total length 30000 mm, First end Beginning, Second end Blanking, 6pcs Zip 1250, Airflow 18000 m3/h, Negative pressure 70 Pa, Altitude 214 m

Fabric NMS - 100% polyester, Endless fibres (multifilament), Weight 225 g/m², Thickness 0,31 mm, Permeability 0 m³/h/m² by 120 Pa, strength (warp/weft) 1810/1090 N (EN ISO 13934-1:1999), Fire resistance - B-s1, d0 according to EN 13501-1+A1: 2010, Temperature resistance -30 a +110°C, Washing shrinkage (warp/weft) 0,5/0,5 % by 40°C according to EN ISO 6330-2000, Suitable for cleanrooms - class No. 4 (EN ISO 14644-1), Washable in washing-machine, Design "Office", Colour Light blue



List of mounting material:
56pcs 2000mm , 4pcs 1940mm , 56pcs Aluminium profile connector straight, 8pcs Tensioner in profile, 62pcs Crossbar, 1pcs Square 1250x900 mm Stainless flange



Price for 1 pc : 0,00

Total price for pos. 1 : 0,00

Weight : 146 kg



/
Tailor-made Air Ducting&Diffusers


Position
1 - S1250/30000 FB/NMS-10AL/LBO + WOUT

pcs.-weight/profiles-price 1pc./all
1pcs 146 kg / 94 kg - 0,00 / 0,00


Total price for pos. 1 - 1 : 0,00

Weight : 146 kg


Position 1 - 1pcs ... 1 - S1250/30000 FB/NMS-10AL/LBO + WOUT



! Profiles made-to-measure – do not cut!




1



The numbers of parts from the drawing are printed on the labels at zips.

Dimensions in (mm)

DRAWING N.	VERSION	PAGE	DATE	DRAW	NO SCALE	 +3725236671
Č. VÝKRESU	VERZE	LIST	DATUM	KRESLIL	BEZ	
Exhaust	1	1/1	11.8.2020	Erki-Heiki Meerits	MĚŘITKA	

